	77.54	Convok Mout	DB	Time stamp
L Number	Hits 3235	Search Text (memory near3 (request\$3 or allocat\$3 or	USPAT;	2002/10/04 13:25
-	3233	manag\$7)).ab.	US-PGPUB; IBM TDB	
-	35752	(memory near3 (request\$3 or allocat\$3 or manag\$7))	USPĀT; US-PGPUB; IBM TDB	2002/10/04 13:50
_	41	(request\$3 near3 queue\$3).ti.	USPĀT; US-PGPUB;	2002/10/04 13:26
_	402	(request\$3 near3 queue\$3).ab.	IBM_TDB USPAT; US-PGPUB; IBM TDB	2002/10/04 20:02
_	5970	request\$3 near3 queue\$3	USPAT; US-PGPUB; IBM TDB	2002/10/04 13:53
-	90	(request\$3 near3 queue\$3) same (data near3 size)	USPAT; US-PGPUB; IBM TDB	2002/10/04 13:29
_	865	((memory near3 (request\$3 or allocat\$3 or manag\$7))) same (data near3 size)	USPAT; US-PGPUB; IBM TDB	2002/10/04 13:30
_	945	<pre>((request\$3 near3 queue\$3) same (data near3 size)) or (((memory near3 (request\$3 or allocat\$3 or manag\$7))) same (data near3 size))</pre>	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:32
_	886	<pre>(((request\$3 near3 queue\$3) same (data near3 size)) or ((memory near3 (request\$3 or allocat\$3 or manag\$7))) same (data</pre>	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:33
-	106	<pre>near3 size)) or (((memory near3 (request\$3 or allocat\$3 or manag\$7))) same (data near3 size))) and (location or address))</pre>	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:50
_	20850	and partition ((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3 queue\$2)) and ((partition\$3 or divid\$3 or	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:52
_	3084	split\$3) near3 (data or memory)) ((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3 queue\$2)).ab. and ((partition\$3 or divid\$3	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:54
_	1407	or split\$3) near3 (data or memory)) (((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3 queue\$2)).ab. and ((partition\$3 or divid\$3 or split\$3) near3 (data or memory))) and ((data or memory) near3 size)	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:54
	501	((data of memory) hears size) ((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3 queue\$2)).ab. and ((partition\$3 or divid\$3 or split\$3) near3 data) and (data\$2 near3 size\$2)	USPAT; US-PGPUB; IBM_TDB	2002/10/04 13:57
-	95	((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3 queue\$2)).ab. and (((partition\$3 or divid\$3 or split\$3) near3 data) same (data\$2 near3 size\$2))	USPAT; US-PGPUB; IBM_TDB	2002/10/04 16:09
-	95	<pre>(((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3 queue\$2)).ab. and (((partition\$3 or divid\$3 or split\$3) near3 data) same (data\$2 near3 size\$2))) and (location or</pre>	USPAT; US-PGPUB; IBM_TDB	2002/10/04 17:56
-	692	<pre>address or size) (request\$3 near3 queue\$2) and (independ\$7 with (transfer\$5 or rout\$3))</pre>	USPAT; US-PGPUB; IBM TDB	2002/10/04 17:58
-	30	<pre>(request\$3 near3 queue\$2).ab. and (independ\$7 with (transfer\$5 or rout\$3))</pre>	USPAT; US-PGPUB; IBM_TDB	2002/10/04 17:58

-	2	(request\$3 near3 queue\$3).ab. and (static	USPAT;	2002/10/04 20:04
1		near3 (priori\$5 or polic\$4))	US-PGPUB; IBM TDB	
1_	174	(request\$3 near3 queue\$3) and (round near3	USPAT;	2002/10/04 20:40
	1,1	robin) and (recently near3 used)	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
_	7	(request\$3 near3 queue\$3).ab. and (round	USPĀT;	2002/10/07 06:31
		near3 robin) and (recently near3 used)	US-PGPUB;	
			IBM_TDB	0000/10/04 00 45
-	1		USPAT; US-PGPUB;	2002/10/04 20:46
		robin) and (recently near3 used) and (static\$3 near3 (priorit\$7 or polic\$3))	IBM TDB	
_	3	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 06:57
		(static\$3 with (priorit\$4 or polic\$3))	US-PGPUB;	
		•	IBM_TDB	
-	1	1 1	USPAT;	2002/10/07 07:01
		(((round-robin) or (round near3 robin))	US-PGPUB;	
		with (priorit\$4 or polic\$3)) and	IBM_TDB	
		((recent\$4 near3 used) with (priorit\$4 or polic\$3))		
_	1	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 07:00
	_	((static\$3 with (priorit\$4 or polic\$3))	US-PGPUB;	
		same (((round-robin) or (round near3	IBM_TDB	
		robin)) with (priorit\$4 or polic\$3)))		
-	29		USPAT;	2002/10/07 06:59
		(((round-robin) or (round near3 robin))	US-PGPUB;	
1_	0	<pre>with (priorit\$4 or polic\$3)) (request\$3 near3 queue\$3).ab. and</pre>	IBM_TDB USPAT;	2002/10/07 07:22
	l o	(((round-robin) or (round near3 robin))	US-PGPUB;	2002/10/07 07.22
		with (priorit\$4 or polic\$3)) and	IBM TDB	
		((recent\$4 near3 used) with (priorit\$4 or	_	
		polic\$3)) and (fix\$3 with (priorit\$4 or		
	10	polic\$3))		0000 40 40 00 00
-	13		USPAT; US-PGPUB;	2002/10/07 08:01
		with (priorit\$4 or polic\$3))	IBM TDB	
_	21	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 08:16
		(translat\$5 with (location\$2 or address\$3)	US-PGPUB;	
į		with request\$3)	IBM_TDB	
-	14	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 14:11
		(transfer\$4 near3 independent\$4)	US-PGPUB;	
_	3	((request\$3 near3 queue\$3).ab. and	IBM_TDB USPAT;	2002/10/07 08:18
	5	(transfer\$4 near3 independent\$4)) and	US-PGPUB;	2002/10/0/ 00.10
		((address or location) with translat\$6)	IBM TDB	
-	94	(request\$3 near3 queue\$3).ab. and ((id or	USPAT;	2002/10/07 10:28
		identifier or name) with data)	US-PGPUB;	
_	20	(request\$2 rear2 queue\$2) =b ==d	IBM_TDB	2002/10/27 14 14
-	30	<pre>(request\$3 near3 queue\$3).ab. and ((transfer\$4 or rout\$3) with</pre>	USPAT; US-PGPUB;	2002/10/07 14:14
		independent\$4)	IBM TDB	
-	11	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 15:45
		((transfer\$4 or rout\$3) with	US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
		independent\$4) and ((translat\$3 or map\$4)	IBM_TDB	
		with (address\$2 or location\$2))		
] -	20	(US-6353869-\$ or US-6266162-\$ or US-6247102-\$ or US-6226727-\$ or	USPAT	2002/10/07 14:51
		US-6157963-\$ or US-6088777-\$ or		
		US-5905877-\$ or US-5898895-\$ or		
		US-5862403-\$ or US-5664104-\$ or		
		US-5652905-\$ or US-5623688-\$ or		
		US-4646294-\$ or US-5822603-\$ or		
		US-5685010-\$ or US-5651132-\$ or		
		US-5526507-\$ or US-5485586-\$ or		
		US-5452299-\$ or US-4855900-\$).did.		

			T	10000110100	
-	15	((US-6353869-\$ or US-6266162-\$ or	USPAT;	2002/10/07 1	14:52
		US-6247102-\$ or US-6226727-\$ or	US-PGPUB;		
		US-6157963-\$ or US-6088777-\$ or	IBM_TDB		
		US-5905877-\$ or US-5898895-\$ or	_		
		US-5862403-\$ or US-5664104-\$ or			
		US-5652905-\$ or US-5623688-\$ or			
		US-4646294-\$ or US-5822603-\$ or			
		US-5685010-\$ or US-5651132-\$ or			
		US-5526507-\$ or US-5485586-\$ or			
		US-5452299-\$ or US-4855900-\$).did.) and			
		(priorit\$9 or repriorit\$9 or re-priorit\$9)			
	402		USPAT;	2002/10/07 1	9.27
-	402	(requests) nears queuess, as.	US-PGPUB;	2002/10/0/ 1	
	1		I .		
		1422 423 1 1 1/44	IBM_TDB	2002/10/07 1	E.EA
-	119	((request\$3 near3 queue\$3).ab.) and ((id	USPAT;	2002/10/07 1	15:50
		or identifier\$2 or name\$2) with (data\$2 or	US-PGPUB;		
		packet\$2))	IBM_TDB		
-	30	((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 1	16:18
	1	((transfer\$5 or rout\$3) with (id or	US-PGPUB;		
		identifier\$2 or name\$2) with (data\$2 or	IBM_TDB		
		packet\$2))	_		
_	30	((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 1	L6:49
	1	((transfer\$5 or rout\$3 or enqueu\$4 or	US-PGPUB;		
	1	en-queu\$4) with (id or identifier\$2 or	IBM_TDB		
	l	name\$2) with (data\$2 or packet\$2))	-		
_	10	, -	USPAT;	2002/10/07 1	18:25
		(separat\$4 with (id or identifier\$2 or	US-PGPUB;		
		name\$2) with (data\$2 or packet\$2))	IBM TDB		
_	2		USPAT;	2002/10/07 1	7 - 31
	2	((together\$3 or combin\$4) with (id or	US-PGPUB;	2002/10/0/ 1	
		identifier\$2 or name\$2) with (data\$2 or	IBM_TDB		
	1	1 , , , , , , , , , , , , , , , ,	1011-100		
	,,	packet\$2))	HCDAM.	2002/10/07 1	0.22
_	11		USPAT;	2002/10/07 1	.8:22
	}	((separat\$4 or divid\$4) with (id or	US-PGPUB;		
	ĺ	identifier\$2 or name\$2) with (data\$2 or	IBM_TDB		
		packet\$2))			
-	2293		USPAT;	2002/10/07 1	9:28
		near3 (transfer\$5 or request\$4))).ab.	US-PGPUB;		
			IBM_TDB		
-	231	((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 1	9:30
		(read\$3 near3 (transfer\$5 or request\$4))	US-PGPUB;		
			IBM TDB		
_	0	(((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 1	9:32
		<pre>(read\$3 near3 (transfer\$5 or request\$4)))</pre>	US-PGPUB;		
		and ((transfer\$5 or rout\$4) same (sequence	IBM_TDB		
		near3 count) same size same ((start\$4 or			
		begin\$4) near3 (address or location)))			
_	3	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/10/08 1	0.45
	٦ .	(read\$3 near3 (transfer\$5 or request\$4)))	US-PGPUB;	2002/10/00 1	0.40
		and ((transfer\$5 or rout\$4) and (sequence			
			IBM_TDB		
	 	near3 count) and size and ((start\$4 or			
		begin\$4) near3 (address or location)))			